HYSOLAR

NJšTř šTP őЏБіЁЏ řĻĚķѲƱĚâĻƱP šŻ èƱǏš <řšŻĚ ÊřĻ ıБŹŅĚŻǐ NJĚP ЏšPTĻķ БŻ TřĻ ŹĚšŻ іБĚƱķ БÔ TřĻ ÃřĚŻőřĚš ÃTБıů FǏıřĚŻőĻ šŻ PTБıů ıБķĻ

P Ě őЏБіЁЏ őƱĻĻŻ ĻŻĻƱőǐ šŻŻŻБljĚTšБŻ šŻķƱPTƱšĚЏ őƱБƱŅ šTP ıБƱĻ іƱPšŻĻPPĻP PŅĚŻ TřƱĻĻ ŹĚüБƱ PĻıTБƱP řšőř ĻŻķ ĻѲƱšJŅŻĻŻT TřĻ ÔƱЏ Ņřƀ TБljƀЏ/TĚš ¼ç šŻķƱPTÊ ıřĚšŻ ĚŻķ ĻŻĻƱőǐ PTБƱĚőĻ ÊřƱ0БƱőř ıБŹŅ0ĻřĻŻPšljĻ ljĻâšıЁЏ šŻTĻőƱĚTšБŻ ĚŻķ TĻıřŻБЏЏőšıЁЏ šŻŻŻБljĚTšБŻ TřĻ ıБŹŅĚŻǐ řĚP іƱšЏT Ě ıБƱĻ ıБŹŅĻTšTšljĻ ĻķőĻ šŻ TřĻ őЏБіЁЏ őƱĻĻŻ ĻŻĻƱőǐ šŻķƱPTÊ

İšЏšБŻ šŻ TБTĚЏ ĚPPĻTP TřĻ ıБŹŅĚŻǐ БŅĻƱĚTĻP PšǏ ŹБķĻƱŻ

ЏĚƱőĻ PıĚЏĻ ŅƱБķƱıTšБŻ ıĚŅĚıšTǏ šŻıЏƱķĻP

ŹĻTƱšı TБŻP БÔ ŅБЏǐPšЏšıБŻ Y è БÔ ¼ç

Y è БÔ ¼ç ŹБķƱЏĻP ĚŻķ

ljĻâšıЁЏǐ šŻTĻőƱĚTĻķ ¼ç ŅƱБķƱıTšБŻ ĚŻķ ıББƱķšŻĚTĻķ ķĻljĻЏБŅŹĻŻT ĚıƱBPP ÔƱЏ PıĻŻĚƱšБ ĻŻĻƱőǐ PTБƱĚőĻ ĚŅŅЏšıĚTšБŻP аŻ TřĻ ıБŹŅĚŻǐ ЏБšŻĻķ ÔБƱıĻP

šŻŻŻБljĚTšБŻ Ěıı ıĻЏĻƱĚTšŻő šTP šŻTĻƱŻĚTšБŻĚЏ PTƱĚTĻőšı ĻǏŅĚŻPšБŻ ¿Ļőš БŻĚЏ ŕĻĚķѲƱĚâĻƱP řĚljĻ ŻБNJ іĻĻŻ ĻPTĚіЏšPřĻķ šŻ ÃšŻőĚŅБƱĻ YĻƱŹĚŻǐ TřĻ Ï F ƱPTƱĚЏšĚ ;ƱĚÚšЏ ĚŻķ БTřĻƱ ıБƱŻTƱšĻP NJšTř іƱPšŻĻPP БŅĻƱĚTšБŻP ıБljĻƱšŻő ŻĻĚƱЏǐ ıБƱŻTƱšĻP ĚŻķ ƱĻőšБŻP NJБƱЏķNJšķĻ ıƱĻĚTšŻő ĚŻ šŻTĻƱŻĚTšБŻĚЏ БŅĻƱĚTšŻő

sĻljĻƱĚőšŻő šTP ЏĻĚķšŻő šŻķƱPTƱšĚЏ ƱБƀTJNƱšŻT ƱБіƱPT TĻıřŻБЏБőšıЁЏ ıĚJNĚіšЏšTšĻP ĚŻķ PƱPTĚšŻĚіЏĻ ķĻljĻЏБŅŹĻŻT PTƱĻŻőTř TřĻ ıБŹŅĚŻǐ řĚP іĻĻŻ ƱĻŅĻĚTĻķЏǐ ƱĻıБőŻšÚĻķ БŻ ĚƱTřБƱšTĚTšljĻ ЏšPTP PƱıř ĚP TřĻ <řšŻĚ ÊБJN yĚŻƱÔĚıTƱƱšŻő FŻTĻƱJNƱšPĻP YЏБіЁЏ ÊБJN {ĻNJ FŻĻƱőǐ FŻTĻƱJNƱšPĻP ĚŻķ ^ƱƱƱŻ <řšŻĚ ÊБJN ¼ƱšljĚTĻ FŻĻƱőǐ <БŹŅĚŻšĻP аT řĚP ĚЏPБ ƱĻıĻšljĻķ řБŻБƱP šŻıЏƱķšŻő TřĻ XБƱіĻP <řšŻĚ ÃƱPTĚšŻĚіЏĻ аŻŻБljĚTšБŻ FŻTĻƱJNƱšPĻ NJĚƱķ NJšTř šTP іƱĚŻķ šŻàƱĻŻıĻ ĚŻķ šŻķƱPTÊ PTĚŻķšŻő PБЏšķЏǐ ŅБPšTšБŻĻķ ĚT TřĻ ÔБƱĻÔƱБŻT БÔ TřĻ őЏБіЁЏ őƱĻĻŻ ĻŻĻƱőǐ

sƀБůšŻő ĚřĻĚķ ^î Ã¢s ¿ NJšЏ ķĻĻŅЏǐ šŹŅЏĻŹĻŻT šTP ÊĻıřŻБЏБőǐ ķƱšljĻŻ ^î ÃŹĚâ ÃĻÈšıĻ ķĻljĻЏБŅŹĻŻT PTƱĚTĻőǐ ƱŅřБЏķ TřĻ ıБƱŅБƱĚTĻ ljšPšБŻ БÔ ĚŻķ ķƱšljĻ šŻķƱPTƱšĚЏ ƱŅőƱĚķšŻő TřƱБƱƱőř TĻıřŻБЏБőšıЁЏ šŻŻБljĚTšБŻ èšTř Ě őЏБіЁЏ ƱБƀTJNƱšŻT ŅБNJĻƱšŻő Ě őƱĻĻŻ ƱƱTƱƱĻ TřĻ ıБŹŅĚŻǐ šP ıБŹŹšTTĻķ TБ іĻıБŹšŻő Ě NJБƱЏķ ıЏĚPP ŻĻNJ ĻŻĻƱőǐ šŻŻБljĚTšБŻ őƱБƱŅ ķĻźŻĻķ іǐ TĻıřŻБЏБőšıЁЏ Ļ ŹŅБNJĻƱŹĻŻT őƱĻĻŻ ЏĻĚķĻƱPřšŅ ĚŻķ PŹĚâ PǏŻĻƱőǐ ıБŻTƱšіƱTšŻő ^î Ã¢s ¿P PTƱĻŻőTř TБ TřĻ őЏБіЁЏ ĻŻĻƱőǐ TƱĚŻPšTšБŻ ĚŻķ PƱPTĚšŻĚіЏĻ ķĻljĻЏБŅŹĻŻT

Mono N-Type Silicon Wafer (G12R)

182.3x210

Geometric Parameter

Side length	Ãřƀâ Ãśķļ	Ź Ź sƀŽő Ãśķļ Ź Ź
Diagonal	Ź Ź	
Thickness	Ź	
projection	sĻŻőŤř sĻŻőŤř	Ź Ź Ź Ź

Electrical Prope r ies

Resistivity	Ç ı Ź	
Oxygen content	ŊŃŹĚ	
	ŊŃŹĚ	

Material Prope r ies

Growth method	
Orientation	

Su r ace Pe r ormance

Warpage	
Line mark	
Edge collapse	BĻŃŤř Ź Ź ųĻŻőŤř Ź Ź ŻƀŹƀŌĻ ŤřĚŻ ƀŻĻ ¼ĖıĻ
Cracks and pe r orations	aŻljšPŝİųĻ İŤ IjšPƟĚų šŽPŊĻıŤšƀŻ
Silicon wafer su r ace	<ųĻĚŻ ÓŌĻĻ ƁÔ ƁŝųPƁĚŊ őųƟŌĻ ĚŻķ ƁŤřĻ0 ŌĻPŝķƟŌĻP

Mono N-Type Silicon Wafer(G12)

Geometric Parameter

Side length	
Diagonal	
Thickness	Ź
projection	

Electrical Prope r ies

Resistivity	Ç ı Ź
Oxygen content	ŊŃŹĚ
	ŊŃŹĚ

Material Prope r ies

Growth method	
Orientation	

Su r ace Pe r ormance

Warpage	
Line mark	
Edge collapse	BĻŃŤř Ź Ź ųĻŻőŤř Ź Ź ŻƀŹƀŌĻ ŤřĚŻ ƀŻĻ ¼ĖıĻ
Cracks and pe r orations	aŻljšPŝİųĻ İŤ IjšPƟĚų šŽPŊĻıŤšƀŻ
Silicon wafer su r ace	<ųĻĚŻ ÓŌĻĻ ƁÔ ƁŝųPƁĚŊ őųƟŌĻ ĚŻķ ƁŤřĻ0 ŌĻPŝķƟŌĻP

N-Type TOPCon Bifacial Solar Cell (M10R)

182.2*183.75-16BB-194F-196F **24.8%~25.7%**



Cell Appearance



Appearance And Structure

Dimension	Ĭ	ŹŹ	ÊĐЏĻ0ĚŻıĻ
Diagonal	ŹŹ		
Thickness	Ź		Ź

Thermal Ratings

Temperature coe f cient of Pmax
Temperature coe f cient of Isc
Temperature coe f cient of Voc

N-Type TOPCon Bifacial Solar Cell (G12R)

182.3*210-16BB-236F-228F **24.9%~25.8%**

Cell Appearance

Appearance And Structure

Dimension	í	Ź Ź	
Diagonal	Ź Ź		
Thickness	Ź		Ź

Ļ Á ıŞĻŻı Ť	yĚĬŝŽʊŹ ƁƠŢŊƠŢ ŅƁŊŢĻ0 ê	yĚĬŝŽʊŹ ƁƠŢŊƠŢ ĮjƁ¡ŢĚƓĻ ç	yĚĬŝŽʊŹ ƁƠŢŊƠŢ ıƠƠƠĻŻŢ	¢ŅĻŻ ıŞƠıƠƧŢ ç	Ā řƁâ ıŞƠıƠƧŢ	

Thermal Ratings

Temperature coe f cient of Pmax

Temperature coe f cient of Isc

Temperature coe f cient of Voc



¢ƁƠ¡ŢĚƓĻ ç

N-Type TOPCon Bifacial Solar Cell (G12)

210*210-18BB-186F-192F **24.9%~25.8%**



Positive Electrical Pe r ormance Parameters

ÃTÊŽķÊ0ķ TĻPT ıБŽķ¶ПБŽP ŏ00ÊķšÊŽıĻ è Ź PTÊŽķÊ0ķ PБıÊ0 ÞNĻıTŏŏŽ Ź ő

Ļ.å ıšĻŽıĭ	yĚĬšźŏźŽ ĐŏŢŅŎŢ ŅßŅĻĻ0 è	yĚĬšźŏźŽ ĐŏŢŅŎŢ ĮjБ¶ĬĚ6Ļ ç	yĚĬšźŏźŽ ĐŏŢŅŎŢ ıŏŏŏĻŽŢ ç	¢ŅĻŽ ıšŏıŏšŢ	Ãŕ Ðâ ıšŏıŏšŢ

Cell Appearance

Appearance And Structure

Dimension	í	Ź Ź	ÊБ¶ĮĻ0ĚŽıĻ		Ź Ź
Diagonal	Ź Ź	ÊБ¶ĮĻ0ĚŽıĻ		Ź Ź	
Thickness	Ź	ÊБ¶ĮĻ0ĚŽıĻ		Ź	
Front(+	XšŽőĻ0 ; ŏPİĚ0 Ãš¶ĮjĻ0				
Back(-	XšŽőĻ0 ; ŏPİĚ0 Ãš¶ĮjĻ0				

Thermal Ratings

Temperature coe f cient of Pmax	
Temperature coe f cient of Isc	
Temperature coe f cient of Voc	



çБ/ĬĚ6Ļ ç



N-Type TOPCon Bifacial Solar Cell ( )

182.3*53.25-14BB-66F-76F



Cell Appearance

Appearance And Structure

Dimension	í Ź Ź ÊĐų Ę 0ĚŻ ı Ę Ź Ź
Diagonal	Ź Ź ÊĐų Ę 0ĚŻ ı Ę Ź Ź
Thickness	Ź ÊĐų Ę 0ĚŻ ı Ę Ź
Front(+	XśŻőĻ0 ; ŮP İ Ě0 Ãšų ljĻ0
Back(-	XśŻőĻ0 ; ŮP İ Ě0 Ãšų ljĻ0

Thermal Ratings

Temperature coe f cient of Pmax	
Temperature coe f cient of Isc	
Temperature coe f cient of Voc	

Positive Electrical Pe r ormance Parameters

ÃTÉŻķÉ0ķ TĻPT ı ĐŻķšTšĐŻP šD0ĚķšĚŻ ı Ļ è Ź PTÉŻķÉ0ķ PĐų Ě0 PŅĻ ı T0D0Ź Ź ő

Ļ Á ı šĻŻ ı T	yĚĪšŻ0Ź ĐŮŢŅŌŤ ŅĐŅŲĻ0 ê	yĚĪšŻ0Ź ĐŮŢŅŌŤ ljĐų TĚ6Ļ ç	yĚĪšŻ0Ź ĐŮŢŅŌŤ ı D0 0Ļ ŻT ç	¢ŅĻŻ ı šD ı ŌŠT	Ãřĥâ ı šD ı ŌŠT



çĐų TĚ6Ļ ç

Light Induced Degradation Test

ÏPšŽő ŤĻŻĐŽ ų ĚŹŅ ų D0ĚķšĚŻ ı Ļ ĐÓ è Ź NJ3TŕP ŅĻ ı T0D0Ź y TĐ šD0ĚķšĚTų TĻPT

TŕĻ ķĻ6ŌĚķĚTšĐŽ ĐÓ ŻĚĪšŽ0Ź ĐŮŢŅŌŤ

Ļ Á ı šĻŻ ı T ĐÓ ı Ļ ų P šP

N-Type TOPCon Bifacial Solar Cell ( )

182.3*53.25-14BB-66F-76F

Cell Appearance

Appearance And Structure

Dimension	í Ź Ź ÊĐų Ę 0ĚŻ ı Ę Ź Ź
Diagonal	Ź Ź ÊĐų Ę 0ĚŻ ı Ę Ź Ź
Thickness	Ź ÊĐų Ę 0ĚŻ ı Ę Ź
Front(+	XśŻőĻ0 ; ŮP İ Ě0 Ãšų ljĻ0
Back(-	XśŻőĻ0 ; ŮP İ Ě0 Ãšų ljĻ0

Thermal Ratings

Temperature coe f cient of Pmax	
Temperature coe f cient of Isc	
Temperature coe f cient of Voc	

Positive Electrical Pe r ormance Parameters

ÃTÉŻķÉ0ķ TĻPT ı ĐŻķšTšĐŻP šD0ĚķšĚŻ ı Ļ è Ź PTÉŻķÉ0ķ PĐų Ě0 PŅĻ ı T0D0Ź Ź ő

Ļ Á ı šĻŻ ı T	yĚĪšŻ0Ź ĐŮŢŅŌŤ ŅĐŅŲĻ0 ê	yĚĪšŻ0Ź ĐŮŢŅŌŤ ljĐų TĚ6Ļ ç	yĚĪšŻ0Ź ĐŮŢŅŌŤ ı D0 0Ļ ŻT ç	¢ŅĻŻ ı šD ı ŌŠT	Ãřĥâ ı šD ı ŌŠT

Light Induced Degradation Test

ÏPšŽő ŤĻŻĐŽ ų ĚŹŅ ų D0ĚķšĚŻ ı Ļ ĐÓ è Ź NJ3TŕP ŅĻ ı T0D0Ź y TĐ šD0ĚķšĚTų TĻPT

TŕĻ ķĻ6ŌĚķĚTšĐŽ ĐÓ ŻĚĪšŽ0Ź ĐŮŢŅŌŤ

Ļ Á ı šĻŻ ı T ĐÓ ı Ļ ų P šP

Global Pa r ners

TÜVRheinland CERTIFIED
TÜV NORD Type Tested
TÜV SÜD
PVEL
大唐集团公司 CHINA DATANG
中国华电 CHD
中国电建 POWERCHINA
中核集团 CNNC
中建西南院
四川能投
JinKO Solar
SUNGROW 阳光新能源
AIKO
DASOLAR 一道新能
Munich RE
PV CYCLE
中国华能 CHINA HUANENG
国投电力 SDIC POWER
CEEC 中国能建
中国中铁 CREC
IMEIC
Trinasolar 天合光能
JA SOLAR 晶澳太阳能
SAATVIK SOLAR FOR A BETTER FUTURE
HSBC